



CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW
Page 1 of 13

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier : CHO-FOIL® Shielding Tapes

Product Code(s) : CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

Product Matrix :

Part number prefix	CCH	CCE	CCJ	CCK	CCD	CAD
Foil/Fabric Type	1 oz RA Copper	1 oz Embossed RA Copper	Aluminum	1 oz Tin plated copper	1 oz RA Copper	Aluminum
Adhesive Thickness, mils (mm)	Adhesive one side: 1.5 (0.0381)	Adhesive one side: 1.5 (0.0381)	Adhesive one side: 1.5 (0.0381)	Adhesive one side: 1.5 (0.0381)	Adhesive two sides: 1.5 (0.0381)	Adhesive two sides: 1.5 (0.0381)

SDS No. : PHC-209 EU

1.2 Relevant identified uses of the substance or mixture and uses advised against

- : Foil tapes available in copper, aluminum or tinned copper foil, backed with Chomerics' highly conductive pressure-sensitive adhesive. For use in a wide variety of EMI shielding and grounding applications.
Use pattern: professional use.
No restrictions on use known.

1.3 Details of the supplier of the safety data sheet:

Parker Hannifin Ltd., Seal Group

Chomerics Division Europe
Unit 6 Century Point
Halifax Road
High Wycombe
Bucks, HP12 3SL
United Kingdom
E-mail: chomerics_europe@parker.com
Website: www.chomerics.com

Telephone : +44 (0) 1494 455 400

1.4 Emergency Telephone Number

- : 24 Hr. Emergency Tel. # +1 (352) 323-3500 (INFOTRAC - U.S.A.)
Poisons Information Centre
+44 121 507 4123 (United Kingdom)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Solid article, no odour.

Most important hazards:

As supplied, this product does not present a physical, health or environmental hazard.

The product is an article and is not subject to the classification criteria of Regulation (EC) 1272/2008.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020
Revision No.: 2

Page 2 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

This product falls under the definition of an article under Regulation (EC) No. 1272/2008 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Products with a specific shape, surface or design which determines their function more than their chemical composition). REACH requires that Parker Chomerics inform requestors of the presence of Candidate List Substances of Very High Concern (SVHC) in a concentration of > 0.1% by total weight in Articles. This product does not intentionally contain any substances present on the Candidate List SVHC's.

2.2 Label elements

Hazard pictogram(s)

None required according to Regulation (EC) No. 1272/2008.

Signal word:

None required according to Regulation (EC) No. 1272/2008.

Hazard statements:

EUH210 - Safety data sheet available on request.

Precautionary statements:

None required according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents. Fumes from heated product may irritate respiratory tract. Inhalation of fumes may result in metal fume fever, a flu-like illness. If material is ingested, may cause irritation to mucous membranes. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

PBT assessment:

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature : Solid article. These articles are single-sided or double-sided foil tapes, available in copper, aluminum or tinned copper foil. It consists of a conductive, pressure-sensitive acrylic adhesive layer on one or both sides and a release liner covering the adhesive layer(s).

The following substances shall be indicated according to legislation:

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 3 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Chemical name	CAS #	EC No.	Concentration	CLP Classification
Copper	7440-50-8	231-159-6	< 15.0	not hazardous. Substances for which there are Community workplace exposure limits.
silver	7440-22-4	231-131-3	< 3.0	not hazardous. Substances for which there are Community workplace exposure limits.

SECTION 4. FIRST-AID MEASURES

4.1 Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt, seek medical advice.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. When symptoms persist or in all cases of doubt, seek medical advice.
- Skin contact* : For skin contact, wash with soap and water while removing contaminated clothing. When symptoms persist or in all cases of doubt, seek medical advice.
- Eye contact* : Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. When symptoms persist or in all cases of doubt, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- : This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.
- Fumes from heated product may irritate respiratory tract. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.
- If material is ingested, may cause irritation to mucous membranes. May cause nausea, vomiting and diarrhea.
- Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

4.3 Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- : Not classified as flammable. Burning produces obnoxious and toxic fumes. The pressure in sealed containers can increase under the influence of heat. In the event of fire the following can be released: Metal oxides; Carbon oxides; Other unidentified organic compounds.

5.3 Advice for firefighters

Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
 CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW
 Page 4 of 13

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Wear appropriate protective equipment.

6.2 Environmental precautions

- : Prevent product from entering drains, sewers, waterways and soil.

6.3 Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Shovel or sweep up. Pick up and transfer to properly labeled containers. Contact the proper local authorities.

6.4 Reference to other sections

- : Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- : Use with adequate ventilation. Use personal protective equipment as required. Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Keep containers closed when not in use. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

- : Store in cool/well-ventilated place. Inspect periodically for damage or leaks. Do not store near any incompatible materials (see Section 10).

7.3 Specific end use(s)

- : Foil tapes available in copper, aluminum or tinned copper foil, backed with Chomerics' highly conductive pressure-sensitive adhesive. For use in a wide variety of EMI shielding and grounding applications.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

<u>Exposure Limits:</u>			
<u>Chemical Name</u>	<u>Exposure Limits</u>	<u>Type</u>	<u>Notes</u>
Copper	1 mg/m ³ ; 0.1 mg/m ³ (Respirable dust) (TWA)	Finland (OEL)	None.
	0.2 mg/m ³ (fumes); 1 mg/m ³ (dust) (TWA)	France (OEL)	None.
	2 mg/m ³ (dust) (STEL)		
	1 mg/m ³ ; 0.1 mg/m ³ (fumes) (TWA)	Hungary (OEL)	None.
	4 mg/m ³ ; 0.4 mg/m ³ (fumes) (STEL)		
	0.2 mg/m ³ (fumes); 1 mg/m ³ (dust) (TWA)	Spain (OEL)	None.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
 CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-XXXX

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 5 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

	0.2 mg/m ³ (fumes); 1 mg/m ³ (dust) (TWA)	The United Kingdom (WELs)	None.
	2 mg/m ³ (dust) (STEL)		
silver	0.1 mg/m ³ (TWA)	European Union (OEL)	None.
	0.1 mg/m ³ (TWA)	Finland (OEL)	None.
	0.1 mg/m ³ (TWA)	France (OEL)	None.
	0.1 mg/m ³ (inhalable) (TWA)	Germany (OEL)	(exposure factor 8)
	0.1 mg/m ³ (TWA)	Hungary (OEL)	None.
	0.4 mg/m ³ (STEL)		
	0.1 mg/m ³ (TWA)	Italy (OEL)	None.
	0.05 mg/m ³ (TWA)	Poland (OEL)	None.
	0.1 mg/m ³ (TWA)	Spain (OEL)	None.
	0.1 mg/m ³ (TWA)	The United Kingdom (WELs)	None.

Biological Exposure Indices:

No biological exposure limits noted for the ingredient(s).

Biological Exposure Indices:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL): No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure controls

Ventilation and engineering measures

- : Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : not required under normal use
 If airborne concentrations are above the permissible exposure limits or are not known, respiratory protection may be required. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Seek advice from respiratory protection specialists.

Skin protection

- : not required under normal use.
 For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Eye / face protection

- : not required under normal use.
 If product is processed in a manner that generates dusts or fumes, wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields See also EN 166. .

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW
Page 6 of 13

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

- : Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Appearance** : Solid article. These articles are single-sided or double-sided foil tapes, available in copper, aluminum or tinned copper foil. It consists of a conductive, pressure-sensitive acrylic adhesive layer on one or both sides and a release liner covering the adhesive layer(s).
- Odour** : No odour.
- Odour threshold** : No information available.
- pH** : Not applicable.
- Flash point** : Not applicable.
- Flashpoint (Method)** : Not applicable.
- Lower flammable limit (% by vol.)** : Not applicable.
- Upper flammable limit (% by vol.)** : Not applicable.
- Flammability (solid, gas)** : Not considered flammable.
- Auto-ignition temperature** : No information available.
- Decomposition temperature** : No information available.
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Initial boiling point and boiling range** : No information available.
- Melting/Freezing point** : No information available.
- Relative density** : No information available.
- Solubility in water** : Insoluble.
- Other solubility(ies)** : No information available.
- Vapour pressure** : No information available.
- Vapour density** : No information available.
- Partition coefficient: n-octanol/water** : No information available.
- Viscosity** : Not applicable.
- Evaporation rate (BuAe = 1)** : No information available.

9.2 Other Information

- Volatiles (% by weight)** : negligible
- Volatile organic Compounds (VOC's)** : None.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 7 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : Not normally reactive.

10.2 Chemical stability : Stable under normal conditions.

10.3 Possibility of hazardous reactions

: Hazardous polymerization does not occur. No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid : Keep away from extreme heat and flame. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.

10.5 Incompatible materials

: Acids; Oxidizing agents

10.6 Hazardous decomposition products

: None known.
Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Metal oxides; Carbon oxides; Other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects:

Acute toxicity : According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.
This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

Skin corrosion/Irritation : According to the classification criteria of the European Union, this product is not considered as being a skin corrosive or irritant.
This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

Serious eye damage/irritation

: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

Respiratory or skin sensitisation

: Not expected to be a skin or respiratory sensitizer.
This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

Germ cell mutagenicity : Contains no ingredient listed as a mutagen.

Carcinogenicity : Contains no ingredient listed as a carcinogen

Reproductive toxicity : Contains no ingredient listed as toxic to reproduction.

STOT-single exposure : According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through a single exposure.
This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 8 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

STOT-repeated exposure : According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through repeated exposures.

This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents.

Aspiration hazard : Not applicable in the product's present form.

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Copper	> 5.11 mg/L (dust) (No mortality)	> 2500 mg/kg	> 2000 mg/kg
silver	> 5.16 mg/L (dust) (No mortality)	> 2000 mg/kg (No mortality)	> 2000 mg/kg (No mortality)

Routes of exposure : Eye contact; Skin contact; Inhalation; Ingestion

Effects of acute exposure : This product is considered to be an 'article' according to Regulation (EC) No. 1272/2008. Under normal conditions of use, users of the product cannot be exposed to its harmful contents. However, if the product is misused, the following health effects may occur:

Inhalation: Fumes from heated product may irritate respiratory tract. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.

Skin contact: Direct skin contact may result in little or no irritation.

Eye contact: Causes little or no irritation.

Ingestion: If material is ingested, may cause irritation to mucous membranes. May cause nausea, vomiting and diarrhea.

Potential Chronic Health Effects

: Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

Other important hazards : None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

: As supplied, this product does not present a physical, health or environmental hazard. No data is available on the product itself. The product should not be allowed to enter drains, water courses or the soil. Contains: Copper. The acute toxicity of copper to aquatic species varies drastically by the chemical form and correlates with the availability of free ionic copper. Aquatic toxicity is highly variable not only by organism but with physical and chemical characteristics of the water itself.

See the following tables for individual ingredient ecotoxicity data.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW
Page 9 of 13

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Copper	7440-50-8	No information available.	No information available.	None.
silver	7440-22-4	No information available.	No information available.	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Copper	7440-50-8	No information available.	No information available.	None.
silver	7440-22-4	No information available.	No information available.	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Copper	7440-50-8	No information available.	No information available.	None.
silver	7440-22-4	No information available.	No information available.	None.

12.2 Persistence and degradability

: Not expected to be rapidly biodegradable.

12.3 Bioaccumulation potential

: The product itself has not been tested.

12.4 Mobility in soil

: The product itself has not been tested.

12.5 Results of PBT and vPvB assessment

: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Handling for Disposal : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
 CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-XXXX

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 10 of 13




Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Methods of Disposal : Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14. TRANSPORTATION INFORMATION

<i>Regulatory Information</i>	14.1 UN Number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing Group	<i>Label</i>
ADR/RID	None.	not regulated	not regulated	none	
EU ADR/RID Classification Code	Not applicable.				
EU ADR / RID Hazard Identification Number	Not applicable.				
ADR/RID Additional information	Not classified as dangerous for conveyance in the meaning of the regulations for the transport of dangerous goods by road and rail.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				

14.5 Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

14.6 Special precautions for user

: Appropriate advice on safety must accompany the package.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 11 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- : Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous mixtures.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:

None of the components are specifically listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended

None of the components are specifically listed.

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances:

None of the components are specifically listed.

Directive 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work:

None of the components are specifically listed.

Directive 94/33/EC on the protection of young people at work:

None of the components are specifically listed.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended [including Regulation (EU) 2015/830].

Follow national regulation for work with chemical agents.

German legislation on water endangering substances VwVwS: Water contaminating class (Germany): No information available.

15.2 Chemical safety assessment

- : A chemical safety assessment has not been carried out by the Manufacturer of this product.

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 12 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 16. OTHER INFORMATION

- Legend** : ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS: Chemical Abstract Services
CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
EC: European Community
EC50: Effective Concentration 50%
ECHA: European Chemicals Agency
EEC: European Economic Community
EN: European Standard
EU: European Union
HSDB: Hazardous Substances Data Bank
IATA: International Air Transport Association
IBC: Intermediate Bulk Container
IMDG: International Maritime Dangerous Goods
LC: Lethal Concentration
LD: Lethal Dose
NOEC: No observable effect concentration
OECD: Organisation for Economic Co-operation and Development
OEL: National occupational exposure limits
PEL: Permissible exposure limit
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
RTECS: Registry of Toxic Effects of Chemical Substances
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TWA: Time Weighted Average
WEL: Workplace Exposure Limit
- Information Source** : 1. Material Safety Data Sheet from manufacturer.
2. Canadian Centre for Occupational Health and Safety, CChInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM).
3. European Chemicals Agency, Classification Legislation, 2015.
4. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.
- Preparation Date (dd/mm/yyyy)** : 10/09/2015
- Reviewed Date SDS (dd/mm/yyyy)** : 23/01/2020
- Revision No.** : 2
- Revision Information** : (M)SDS sections updated :1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING
- H-Phrases (Full text)** : Not applicable.
- Other special considerations for handling** : Provide adequate information, instruction and training for operators.



Parker Hannifin Ltd., Seal Group
Chomerics Division Europe
Unit 6 Century Point, Halifax Road
High Wycombe, Bucks, HP123SL
The United Kingdom
Telephone: +44 (0) 1494 455 400

CHO-FOIL® Shielding Tapes

CCH-36-101-XXXX; CCE-36-101-XXXX; CCJ-36-101-XXX; CCK-36-101-XXXX;
CCD-36-101-XXXX; CAD-36-101-XXXX; CCJ-XX-201-WWWW

SDS Revision Date (dd/mm/yyyy): 23/01/2020

Page 13 of 13

Revision No.: 2

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

<p><u>Prepared for:</u> Parker Hannifin Corp. 77 Dragon Court Woburn, MA, USA 01888 Telephone: 001-781-935-4850 http://www.parker.com Direct all enquiries to Parker Hannifin.</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corporation.

END OF DOCUMENT